



Emergency Medical Training Services

Emergency Medical Technician – Basic Program Assignments

Pediatric Assignment

Revised: 11/2013

PRINT THIS ASSIGNMENT OUT AND TURN INTO CLASS BY THE DUE DATE.

Name: _____ Date: _____

1. ____ Absence of breathing.	a. Infant
2. ____ Infection of the airway below the level of the vocal cords, usually caused by a virus, seal bark.	b. child abuse
3. ____ Pooling of the blood in the lower parts of the body after death.	c. rales
4. ____ A seizure relating to a fever.	d. wheezing
5. ____ An infection of the soft tissue in the area above the vocal cords with drooling.	e. apnea
6. ____ A dark green material in the amniotic fluid that can cause lung disease in the newborn.	f. nares
7. ____ Inflammation of the meninges that cover the spinal cord and the brain.	g. toddler
8. ____ The external openings of the nostrils.	h. postictal state
9. ____ The period immediately following a seizure, characterized by extreme tiredness or listlessness.	i. SIDS
10. ____ A crackling breath sound caused by the flow of air through liquid in the lungs.	j. croup
11. ____ Stiffening of the body after death.	k. meconium
12. ____ The term used to describe a continuous seizure, or multiple seizures without a return to consciousness for 30 minutes or more.	l. stridor
13. ____ A high-pitched breath sound heard on inspiration that is a sign of upper airway obstruction.	m. school age
14. ____ Death of an infant or young child that remains unexplained after a complete autopsy.	n. epiglottitis
15. ____ A whistling breath sound caused by air traveling through narrowed air passages within the bronchioles.	o. lividity
16. ____ An infant with burned feet.	p. meningitis
17. ____ 6 to 12 years of age, this patient begins to act like an adult, can answer direct questions, like to do a task and complete it.	q. rigor mortis
18. ____ Birth to one year of age, respond to physical stimuli, crying is one of their main avenues.	r. febrile seizure

<p>19. ____ 3 to 6 years of age, imagination is a big thing; they think their injury is their fault, use a toy or a game to treat this patient.</p>	<p>s. pre-school</p>
<p>20. ____ 12 to 18 years of age, decision making, and privacy is a huge thing.</p>	<p>t. status epilepticus</p>
<p>21. ____ 1 to 3 years of age, beginning to explore and walk around, injuries are frequent, stranger anxiety develops, treat and let them be comfortable.</p>	<p>u. adolescents</p>