



Emergency Medical Training Services

Emergency Medical Technician – Basic Program Assignments

Vital Sign Assignment

Revised: 11/2013

AT THE BOTTOM OF THIS PAGE ARE THE ANSWERS TO BE INSERTED. PLACE THE ANSWERS ON A PIECE OF PAPER NUMBERED 1 TO 29. THIS IS NOT AN ON-LINE ASSIGNMENT. YOU MUST TURN THIS ASSIGNMENT IN AT CLASS.

NAME: _____ DATE: _____

When taking a set of vitals the first set is know as the 1. When taking a pulse count for 2 and multiple the number by 3. Always document the number as 4. When taking respirations one should watch for rise and fall of the 5 for 6 and multiply by 7. When taking pulse and ventilations the radial pulse should be felt for 8. When taking a blood pressure the cuff should measure 9 of the 10. If the cuff is too wide the reading will be 11. If the cuff is too narrow the reading will be 12. Capillary refill should return by the time you can say 13 which is under 14. Capillary refill is most accurate under the age of 15 and a blood pressure can be replaced under the age of 16. When describing a persons skin it should be 17, 18, and 19. To assess the neurological status the 20 is used. To assess the persons LOC the 21 is used. Pupils when exposed to light should 22. Uneven/unequal pupils may indicate a 23. When asking sample a caregiver is not asking for 24 but rather information. The ventilation rate for a five year old is between 25. A 6 month olds ventilations should be between 26. All numbers given as vital signs are 27 unless you are documenting 28. The fifth vital sign is 29.

Use the word in the box to complete the paragraph above.

Pink	2 seconds	Elevated	Chest
25-50	30 seconds	GCS	15-30
Humerous	Temperature	Even	AVPU
30 seconds	Dry	60 seconds	Even
Pain	Baseline	6	Stroke
2	Lower	Hamburger	2
Urine	2/3	3	Warm
Constrict			